## **Index of Authors**

## with the titles of papers

ADYA, A. K., and WORMALD, C. J.: Intra and intermolecular structure in the condensed phases of ethylene, ethane and carbon dioxide by neutron diffraction, 1217

AGUILAR, A., GONZÁLEZ, M., and POLUYANOV, L. V.: Analytical treatment of the quadratic and nonrelativistic Renner-Teller effect for a triatomic molecule in an electronic state. I. High energy limit, 193

AGUILAR, A., GONZÁLEZ, M., and POLUYANOV, L. V.: Analytical treatment of the quadratic and nonrelativistic Renner-Teller effect for a triatomic molecule in a Π electronic state. II. High energy and high angular momentum limit, 209

ALLNATT, A. R., see Aziz, R. A.

Amaha, A., and Karlsson, F.: On Connor's connection formula across a potential well, generalized to phase-integral approximations of arbitrary order, 491

Amos, R. D., see Smith, C. M.

Andrews, L., Davis, S. R., and Hunt, R. D.: Far infrared spectra of (HF)<sub>2</sub> and (HF)<sub>3</sub> in solid argon, 993

ÅSTRAND, P.-O., and KARLSTRÖM, G.: Local polarizability calculations with localized orbitals in the uncoupled Hartree-Fock approximation, 143

AZIZ, R. A., SLAMAN, M. J., KOIDE, A., ALLNATT, A. R., and MEATH, W. J.: Exchange-Coulomb potential energy curves for He-He, and related physical properties, 321

BACSKAY, G. B.: Hydrogen bonded complexes of HCl with CO, C<sub>2</sub>H<sub>2</sub>, C<sub>2</sub>H<sub>4</sub>, PH<sub>3</sub>, H<sub>2</sub>S, HCN, H<sub>2</sub>O and NH<sub>3</sub>. Correlated quantum chemical calculations of geometries, energetics, vibrational frequencies and <sup>35</sup>Cl quadrupole coupling constants, 61

BARANYAI, A., see Evans, D. J.

BARBIERI, R. S., and BONHAM, R. A.: The dielectric dispersion surface for the nitrogen molecule in the gas phase, 1055

BARREAU, A., see Ladanyi, B. M.

BATCHELOR, S. N., McLAUCHLAN, K. A., and SHKROB, I. A.: Reaction yield detected magnetic resonance and magnetic field effect studies of radical pairs containing electronically excited organic radicals, 75

BELAFHAL, A., see Chapuisat, X.

Belchior, J. C., Murrell, J. N., and Bosanac, S. D.: The hardness factor in rotational inelastic scattering, 727

BERNARDI, F., BOTTONI, A., and ROBB, M. A.: An MCSCF/MP2 study of methylene insertionabstraction reactions with C-H and C-Cl bonds, 51

Bernhard, T., Zimmermann, H., and Haeberlen, U.: The orientations and dynamics of ethanol guest molecules in the clathrate of Dianin's compound. A <sup>2</sup>H-nuclear magnetic resonance single crystal study, 1123

BONHAM, R. A., see Barbieri, R. S. BOSANAC, S. D., see Belchior, J. C.

BOTTONI, A., see Bernardi, F.

BOUBLÍK, T.: Perturbation theory of the quadrupolar Kihara fluid, 983

BRILLIANTOV, N. V., and VOSTRIKOVA, N. G.: Rotational motion of Brownian particles with surface charge, 957

Brommer, M., Rosmus, P., Carter, S., and Handy, N. C.: Rovibronic  ${}^2B_1(\Pi_u)$ – ${}^2A_1$  spectrum of the BH<sub>2</sub> radical, 549

BUCKINGHAM, A. D., see McDowell, S. A.

BUENKER, R. J.: Exponentially damped Breit-Pauli Hamiltonian for the description of positronium decay and other higher energy processes, 1095

BUJAN-NÚÑEZ, M. C., see López-Quintela, M. A.

CARTER, S., see Brommer, M.

CATALIOTTI, R. S., see Sassi, P.

CHAPUISAT, X., BELAFHAL, A., NAUTS, A., and IUNG, C.: A comment on recent proposals for the calculation of vibration-rotation energies in more-than-three atom molecules, 947

CHILD, M. S., see Hirst, D. M.

CHUAQUI, C. E., see Slee, T.

COCKCROFT, J. K., see Jouanneaux, A.

Davis, S. R., see Andrews, L.

DEL Rio, F., and Gil-Villegas, A.: Collision frequencies and mean collision parameters in the Lennard-Jones system, 223

DEITERS, U. K., see Jonah, D. A.

DORFMÜLLER, TH., see Strehle, F.

Dovesi, L., see Saunders, V. R.

DUMON, B., see Ladanyi, B. M.

DYKE, J. M., see Lee, E. P. F.

ESTEBAN, A. L., and GALACHE, M. P.: The  $r_s$  structure of oxetane as studied by NMR spectroscopy in a nematic medium, 17

Evans, D. J., and Baranyai, A.: The Gaussian thermostat, phase space compression and the conjugate pairing rule, 1209

EVANS, G. T.: Hard body models for chiral nematic liquid crystals, 969

FERRARINI, A., MORO, G. J., NORDIO, P. L., and LUCKHURST, G. R.: A shape model for molecular ordering in nematics, 1

FERRARIO, M., McDonald, I. R., and Symons, M. C. R.: Solvent-solute hydrogen bonding in dilute solutions of CN<sup>-</sup> and CH<sub>1</sub>CH in water and methanol, 617

FINNEY, J. L., see Soper, A. K.

FINNEY, J. L., see Turner, J.

FITCH, A. N., see Jouanneaux, A.

FLENER, P., and Vesely, F. J.: Correlated motion of two particles in a fluid. II. Molecular dynamics results, 601

FOWLER, P. W., and SADLEJ, A. J.: Long-range and overlap effects on collision-induced properties, 709

FRANCISCO, J. S., see Zhao, Y.

Franzke, D., Voit, B., Nuyken, O., and Wokaun, A.: Pulsed ultraviolet laser photolysis of substituted phenyl azosulfonates. Wavelength dependent effects, 397

FREYRIA-FAVA, C., see Saunders, V. R.

FROEYEN, M., see Van Bell, D.

GALACHE, M. P., see Esteban, A. L.

GAO, Y.-D., and HERNDON, W. C.: Tubular graphic carbon structures, 585

GERSCHEL, A., see Grochulski, T.

GIL-VILLEGAS, A., see Del Rio, F.

GONZÁLEZ, M., see Aguilar, A.

GRAF, H.-H., KNEPPE, H., and SCHNEIDER, F.: Shear and rotational viscosity coefficients of two nematic liquid crystals, 521

GRAHAM, C.: Calculations of second light-scattering virial coefficients of linear and quasi-linear molecules, 291

GREIN, F., see Karna, S. P.

GRIMSON, M. J.: Monte Carlo simulation of the melting behaviour of A<sub>12</sub>B Lennard-Jones heteroclusters, 797

GROCHULSKI, T., and GERSCHEL, A.: Distinctive high frequency spectrum of liquid methyl fluoride, 539

GUBBINS, K. E., see Johnson, J. K.

GUEST, M. F., see Hirst, D. M.,

HAEBERLEN, U., see Bernhard, T. HANDY, N. C., see Brommer, M.

HANDY, N. C., see Smith, C. M.

HARRIS, K. R.: The selfdiffusion coefficient and viscosity of the hard sphere fluid revisited: a comparison with experimental data for xenon, methane, ethene and trichloromethane, 1153

HAUSCHILD, T., see Smit, B.

HAYASHI, S., see Katō, T.

HEINZINGER, K., see Trokhymchuk, A. D.

HERNDON, W. C., see Gao, Y.-D.

HEYES, D. M.: Percolation of three-dimensional square-well fluid mixtures, 29

HIRST, D. M., and CHILD, M. S.: Ab initio bending potential-energy curves for Rydberg states of  $H_2O$ , 463

HIRST, D. M., GUEST, M. F., and RENDELL, A. P.: Ab initio potential-energy curves for the molecular ions NeH<sup>+</sup> and ArH<sup>+</sup>, 279

Holovko, M. F., see Trokhymchuk, A. D.

Hummer, G., Soumpasis, D. M., and Neumann, M.: Pair correlations in an NaCl-SPC water model. Simulations versus extended RISM computations, 769

HUNT, R. D., see Andrews, L.

ICHIKAWA, K., KOTANI, S., IZUMI, M., and YAMANAKA, T.: Direct correlation between lithium cation and carboxyl anion in highly concentrated aqueous solution, 677

IUNG, C., see Chapuisat, X.

IZUMI, M., see Ichikawa, K.

JOHNSON, J. K., and GUBBINS, K. E.: Phase equilibria for associating Lennard-Jones fluids from theory and simulation, 1033

JONAH, D. A., and DEITERS, U. K.: On the VDW1 mixing rules applied to conformal binary mixtures at infinite dilution. A systematic improvement, 1071

JOUANNEAUX, A., FITCH, A. N., and COCKCROFT, J. K.: The crystal structure of CBrF<sub>3</sub> by high-resolution powder neutron diffraction, 45

JURGA, K., see Reynhardt, E. C.

KARLSSON, F., see Amaha, A.

KARLSTRÖM, G., see Åstrand, P.-O.

KARNA, S. P., and GREIN, F.: Dipole moment, electric field gradient, field gradient and hyperfine coupling constants of the X<sup>2</sup> Π state of PS: ab initio MRD-Cl studies, 135

KATŌ, T., OOBATAKE, M., MACHIDA, K., and HAYASHI, S.: Molecular motion and vibrational dephasing in a model of liquid N<sub>2</sub>O<sub>A</sub>, 177

KNEPPE, H., see Graf, H.-H.

KOIDE, A., see Aziz, R. A.

KOTANI, S., see Ichikawa, K.

LADANYI, B. M., BARREAU, A., and DUMON, B.: Density and temperature dependence of spectral moments in depolarized light scattering by rare gases, 735

LARIN, A. V., and PARBUZIN, V. S.: Theoretical estimate of *ortho-para* separation coefficients for H<sub>2</sub> and D<sub>2</sub> on A-type zeolites for small and medium coverage, 869

LEE, E. P. F., WRIGHT, T. G., and DYKE, J. M.: Calculated dissociation energies of the alkali metal monoxides, NaO and KO. Basis set superposition error and symmetry lowering, 501

LE ROY, R. J., see Slee, T.

LE SUEUR, C. R., see McDowell, S. A.

LEVESQUE, D., see Vermesse, J.

LIPPENS, G., see Van Bell, D.

LOMBA, E., MARTIN, C., and LOMBARDERO, M.: The dipolar hard sphere fluid. Hypernetted chain approximation revisited, 1005

LOMBARDERO, M., see Lomba, E.

LÓPEZ-QUINTELA, M. A., and BUJÁN-NÚÑEZ, M. C.: Thermodynamic and scaling behaviour in finite diffusion-limited aggregation, 857

LUCKHURST, G. R., see Ferrarini, A.

- McCoy, A. B., and SIBERT, E. L., III.: An algebraic approach to calculating rotation-vibration spectra of polyatomic molecules, 697
- McDonald, I. R., see Ferrario, M.
- McDowell, C. A., see Nakai, T.
- McDowell, S. A., Le Sueur, C. R., Buckingham, A. D., and Stone, A. J.: Using monomer properties to obtain integrated intensities for vibrational transitions of van der Waals complexes, 823
- Machado, F. B. C., see Ornellas, F. R.
- MACHIDA, K., see Katō, T.
- McLauchlan, K. A., see Batchelor, S. N.
- MARCH, N. H., and WIND, P.: Origin of the linear dependence with atomic number of correlation energies in neutral atoms, 791
- MAROULIS, G.: Accurate dipole polarizability for  $Cl_2(X^1\Sigma_n^+)$ , 1085
- MARTIN, C., see Lomba, E. MEATH, W. J., see Aziz, R. A.
- MILLOT, C., and RIVAIL, J-L.: Molecular dynamics simulation of the TIPS model of 1,2dichloroethane in the liquid phase, 157
- MILLOT, C., and STONE, A. J.: Towards an accurate intermolecular potential for water, 439 MINH THO NGUYEN, TAE-KYU Hu, and YOSHIMINE, M.: The LiC2 H2 and NaC2H2 adducts. Is sodium-vinylidene observed in matrix reaction of sodium with acetylene?, 921
- Monson, P. A., see Paras, E. P. A.
- Moro, G. J., see Ferrarini, A.
- Moskowitz, J. W., see Tawa, G. J.
- MURRELL, J. N., see Belchior, J. C.
- NAKAI, T., and McDowell, C. A.: An analysis of NMR spinning sidebands of homonuclear two-spin systems using Floquet theory, 569
- NAUTS, A., see Chapuisat, X
- NEUMANN, M., see Hummer, G.
- NIKITIN, E. E., and REZNIKOV, A. I.: Cross-sections for charge exchange of atoms on multiply charged ions. Charge exchange of N2+ (2p) on He(1s2) in the eV energy range, 563
- NOMURA, H., see Ohba, M.
- Nordio, P. L., see Ferrarini, A.
- NUYKEN, O., see Franzke, D.
- OHBA, M., and NOMURA, H.: The dielectric constant and the site-site direct correlation function of the RISM-2 theory for polar polyatomic molecular fluids, 689
- OOBATAKE, M., see Katō, T.
- ORNELLAS, F. R., MACHADO, F. B. C., and ROBERTO-NETO, O.: A theoretical study of the molecules BeF and BeF+ in their lowest-lying electronic states, 1169
- PARAS, E. P. A., VEGA, C., and MONSON, P. A.: Application of cell theory to the thermodynamic properties of hard dumbbell solids, 803
- PARBUZIN, V. S., see Larin, A. V.
- Pizio, O.: On the simple derivation of approximate integral equations for triplet and higherorder distribution functions of homogeneous fluids, 1011
- POLUYANOV, L. V., see Aguilar, A.
- PRAUSNITZ, J. M., see Smit, B.
- PRITCHARD, H. O., see Shen, D.
- RENDELL, A. P., see Hirst, D. M.
- REYNHARDT, E. C., JURGA, S., and JURGA, K.: The structure and molecular dynamics of solid n-decylammonium chloride, 257
- REZNIKOV, A. I., see Nikitin, E. E.
- RIVAIL, J-L., see Millot, C.
- ROBB, M. A., see Bernardi, F.
- ROBERTO-NETO, O., see Ornellas, F. R.
- ROETTI, C., see Saunders, V. R.
- ROSMUS, P., see Brommer, M.

SADLEJ, A. J., see Fowler, P. W.

SALASCO, L., see Saunders, V. R.

SANDLER, S. I., see Sowers, G. M.

SASSI, P., and CATALIOTTI, R. S.: Intraband vibronic coupling between excited electronic states in cis-polyacetylene by Raman resonance scattering, 937

Saunders, V. R., Freyria-Fava, C., Dovesi, L., Salasco, L., and Roetti, C.: On the electrostatic potential in crystalline systems where the charge density is expanded in Gaussian functions, 629

SCHMIDT, K. E., see Tawa, G. J.

SCHNEIDER, F., see Graf, H.-H.

SHEN, D., and PRITCHARD, H. O.: Effect of rotation on molecular shape, 787

SHKROB, I. A., see Batchelor, S. N.

SIBERT, E. L. III., see McCoy, A. B.

SLAMAN, M. J., see Aziz, R. A.

SLEE, T., LE ROY, R. J., and CHUAQUI, C. E.: Calculated rovibrational energy levels and infrared spectrum of He–C<sub>2</sub>H<sub>2</sub>, 111

SLOTH, P.: Electrochemical potentials in the grand canonical ensemble. Some formal and numerical results for confined ionic systems, 667

SMIT, B., HAUSCHILD, T., and PRAUSNITZ, J. M.: Effect of a density-dependent potential on the phase behaviour of fluids, 1021

SMITH, C. M., AMOS, R. D., and HANDY, N. C.: Theoretical calculations of the nuclear magnetic shielding tensors for the ethylenic carbon atoms in cyclopropenes, 381

SOPER, A. K., see Turner, J.

SOPER, A. K., TURNER, J., and FINNEY, J. L.: Solute-solute correlations in aqueous solutions of tetramethylammonium chloride, 431

SOUMPASIS, D. M., see Hummer, G.

SOWERS, G. M., and SANDLER, S. I.: Simulation results and corresponding states correlation for pure rigid molecular fluids, 351

SPOHR, E., see Trokhymchuk, A. D.

STONE, A. J., see McDowell, S. A.

STONE, A. J., see Millot, C.

STREHLE, F., and DORFMÜLLER, TH.: Concentration effects on absolute depolarized Rayleigh ratios and effective polarizability derivatives of CS<sub>2</sub> in liquid mixtures with CCl<sub>4</sub>, 339

STREHLE, F., and DORFMÜLLER, TH.: Concentration effects on absolute depolarized Rayleigh ratios and effective polarizability derivatives of CS<sub>2</sub> in liquid mixtures with CCl<sub>4</sub>, 893 SYMONS, M. C. R., see Ferrario, M.

TAE-KYU HU, see Minh Tho Nguyen.

TAWA, G. J., WHITLOCK, P., SCHMIDT, K. E., and Moskowitz, J. W.: Monte Carlo calculation of interaction energies for van der Waals complexes, 477

ТROKHYMCHUK, A. D., HOLOVKO, M. F., SPOHR, E., and HEINZINGER, K.: Combination of computer simulation methods and optimized cluster theory in determining equilibrium properties of electrolyte solutions. I. General expressions and applications to pure water, 903

TURNER, J., see Soper, A. K.

TURNER, J., SOPER, A. K., and FINNEY, J. L.: Water structure in aqueous solutions of tetramethylammonium chloride, 411

VAN BELL, D., FROEYEN, M., LIPPENS, G., and WODAK, S. J.: Molecular dynamics simulation of polarizable water by an extended Lagrangian method, 239

VEGA, C., see Paras, E. P. A.

Vermesse, J., and Levesque, D.: Simulations of adsorption on microporous interfaces, 837 Vesely, F. J., see Flener, P.

VOIT, B., see Franzke, D.

VON NAGY-FELSOBUKI, E. I., see Wang, F.

VOSTRIKOVA, N. G., see Brilliantov, N. V.

WANG, F., and VON NAGY-FELSOBUKI, E. I.: Variational calculation of the ro-vibrational states of Na<sub>3</sub><sup>+</sup>, 1197

WHITLOCK, P., see Tawa, G. J. WIND, P., see March, N. H. WODAK, S. J., see Van Bell, D. WOKAUN, A., see Franzke, D. WORMALD, C. J., see Adya, A. K. WRIGHT, T. G., see Lee, E. P. F.

Xu, H.: A density functional study of nematic-smectic A-solid transitions of parallel hard spherocylinders, 311

YAKUB, E. S.: Integral equations for conventional functions of simple dimerizing fluids, 845 YAMANAKA, T., see Ichikawa, K. YOSHIMINE, M., see Minh Tho Nguyen.

 ZHAO, Y., and FRANCISCO, J. S.: The vibrational spectrum of FBrCO. An experimental and theoretical study, 1187
ZIMMERMANN, H., see Bernhard, T.

